Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



Price-List 1946



PRICES in this list are f.o.b. New Canaan, Conn., and are for our selection only. Plants selected by our customers will be charged for according to their individual value. All quotations offered are subject to prior sale. These prices supersede all others and are subject to change without notice.

TERMS. Cash or satisfactory references must accompany all orders, unless the person ordering is known to us.

Deliveries at cost made on scheduled trips only.
Bare-root items balled at cost.

THE HOYT NURSERIES

CONN.

NEW CANAAN
Telephone: 9-1633

Schedule for Balling and Burlapping (B&B) Charges

	,	8	
Size of Plant	Charge	Size of Plant	Charge
or Tree		or Tree	
1½ to 2 ft. high	\$0 50	2 to 2½-in. caliper.	\$5 00
2 to 3 ft. high	60	2½ to 3-in. caliper.	6 00
3 to 4 ft. high	75	3 to $3\frac{1}{2}$ -in. caliper.	7 50
4 to 5 ft. high	90	$3\frac{1}{2}$ to 4-in. caliper.	10 00
5 to 6 ft. high		4 to 4½-in. caliper.	
6 to 8 ft. high	2 50	$4\frac{1}{2}$ to 5-in. caliper.	25 00
		tems in our catalogue w	
priced Balled & Burlap			
quested.			3
			in the same of the

Ornamental and Shade Trees

ACER palmatum atropurpureum. Red Maple.	
Each 2 to 3 ft., B&B\$7 50 5 to 6 ft., B&B, heavy. \$20 00 3 to 4 ft., B&B 9 00 6 to 7 ft., B&B, heavy. 25 00 4 to 5 ft., B&B 15 00 7 to 8 ft., B&B, heavy. 30 00 A. palmatum dissectum. Green Cut-leaf Maple.)
$5\frac{1}{2}$ x 8 ft., specimen, B&B\$50 and up A. platanoides. Norway Maple.)
1½ to 2-in. cal., 8 to 10 ft. high \$10 00 2 to $2\frac{1}{2}$ -in. cal., 10 to 12 ft. high 12 50 $2\frac{1}{2}$ to 3-in. cal., 12 to 14 ft. high 15 00 3 to $3\frac{1}{2}$ -in. cal., 12 to 14 ft. high 20 00 5 to $5\frac{1}{2}$ -in. cal., 20 to 22 ft. high, specimen B&B 75 00 $5\frac{1}{2}$ to 6-in. cal., 22 to 25 ft. high, specimen B&B 85 00 Larger sizes on application.)
A. platanoides schwedleri. Schwedler Maple. 1½ to 2-in. cal., 8 to 10 ft. high	,
5 to $5\frac{1}{2}$ -in. cal., 20 to 22 ft. high, specimen B&B 75 00 $5\frac{1}{2}$ to 6-in. cal., 22 to 25 ft. high, specimen B&B 85 00)
A. rubrum. Red or Scarlet Maple. 2½ to 3-in. cal., 12 to 14 ft. high. 15 00 3 to 3½-in. cal., 12 to 14 ft. high. 20 00 3½ to 4 in. cal., 12 to 16 ft. high. 25 00)
A. saccharum. Sugar or Rock Maple. $2\frac{1}{2}$ to 3-in. cal., 16 to 18 ft. high, 17 50 3 to $3\frac{1}{2}$ -in. cal., 18 to 20 ft. high. 22 50 $3\frac{1}{2}$ to 4-in. cal., 20 to 22 ft. high. 30 00 4 to $4\frac{1}{2}$ -in. cal., 22 to 25 ft. high. 40 00 Larger sizes on application.)
BETULA alba laciniata. Cut-leaf Weeping Birch.	-
10 to 12 ft	
Larger sizes on application. B. papyrifera. Canoe Birch.	
5 to 6 ft 5 00	
6 to 8 ft	
10 to 12 ft	
12 to 15 ft	
B. sargenti pendula. Sargent's Weeping Birch.	
4 to 5 ft., B&B	
6 to 7 ft., B&B)
CERCIDIPHYLLUM japonicum. Katsura Tree.	
8 to 10 ft., specimen, B&B	
12 to 14 ft., specimen, B&B	
Larger sizes on application.	
FAGUS sylvatica. European Green Beech. F. sylvatica atropurpurea. Copper Beech. Prices of European Green and Copper Beech	
5 to 6 ft 10 00	
6 to 8 ft	
$2\frac{1}{2}$ to 3-in. cal., 10 to 12 ft. high, B&B	
3 to 3½-in. cal., 14 to 16 ft. high, B&B	
4 to $4\frac{1}{2}$ -in. cal., 16 to 18 ft. high, B&B	
4½ to 5-in. cal., 16 to 18 ft. high, B&B	-
$6\frac{1}{2}$ to 7-in. cal., 20 to 25 ft. high, specimen B&B 150 00	
7 to 7½-in. cal., 25 to 30 ft. high, specimen, B&B 175 00 7½ to 8-in. cal., 25 to 30 ft. high, specimen, B&B 200 00	
8 to 8½-in. cal., 25 to 30 ft. high, specimen, B&B 250 00	
Larger sizes on application.	

Fagus sylvatica pendula. Weeping Green Beech.		ch
5 to 6 ft		
6 to 8 ft	25 85	00
15 to 18 ft., specimen, B&B		
Larger sizes on application.		
LIQUIDAMBAR styraciflua. Cum Tree.		0.0
6 to 8 ft		00
8 to 10 ft		00
3 to 3½-in. cal., 12 to 14 ft. high, B&B		00
3½ to 4-in. cal., 14 to 16 ft. high, B&B		00
4 to 4½-in. cal., 14 to 16 ft. high, B&B	50	00
PLATANUS orientalis. European Plane.		
1½ to 2-in. cal., 10 to 12 ft. high	. 10	00
2 to 2½-in. cal., 12 to 14 ft. high	.12	50
2½ to 3-in. cal., 14 to 16 ft. high	. 15	00
3 to 3½-in. cal., 14 to 16 ft. high	30	00
4 to $4\frac{1}{2}$ -in. cal., 16 to 18 ft. high.	35	00
QUERCUS palustris. Pin Oak.		
Specimen Grade.	0.**	00
3½ to 4-in. cal., 18 to 20 ft. high, B&B	35 45	
4½ to 5-in. cal., 20 to 22 ft. high, B&B	75	
5 to 5½-in, cal., 20 to 22 ft, high, B&B	90	00
5½ to 6-in. cal., 20 to 22 ft. high, B&B	115	00
6 to $6\frac{1}{2}$ -in. cal., 20 to 22 ft. high, B&B	150	00
7 to 7½-in. cal., 20 to 25 ft. high, B&B		
Q. rubra. Red Oak.		
2 to 2½-in. cal., 12 to 14 ft. high, B&B	25	00
2½ to 3-in. cal., 14 to 16 ft. high, B&B	30	00
8 to 10 ft	5	00
2 to $2\frac{1}{2}$ -in. cal., 12 to 14 ft. high, specimen, B&B	15	
2½ to 3-in. cal., 14 to 16 ft. high, specimen, B&B	20	
3 to 3½-in. cal., 16 to 18 ft. high, specimen, B&B S. vitellina pendula. Golden Weeping Willow.	25	00
6 to 8 ft	5	00
2 to $2\frac{1}{2}$ -in. cal., 8 to 10 ft. high, specimen, B&B	20	00
2½ to 3-in. cal., 10 to 12 ft. high, specimen, B&B		
3 to $3\frac{1}{2}$ -in. cal., 12 to 14 ft. high, specimen, B&B SORBUS aucuparia. Mountain-Ash.	30	00
8 to 10 ft	15	00
10 to 12 it	20	00
S. aucuparia quercifolia. Oak-leaf Mountain-Ash.	15	00
$egin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{15}{20}$	
TILIA pyramidalis. Pyramidal Linden.		00
$1\frac{1}{4}$ to $1\frac{3}{4}$ -in. cal., 6 to 9 ft. high	7	50
T. cordata. European Small-leaved Linden.	40	00
4 to 4½-in. cal., 14 to 16 ft. high, specimen Larger sizes on application.	40	00
ULMUS americana. American Elm.		
8 to 10 ft	6	
10 to 12 ft	8	
$2\frac{1}{2}$ to 3-in. cal., 12 to 15 ft. high	20	00
$5 \text{ to } 5\frac{1}{2}$ -in. cal., 22 to 25 ft. high, B&B	100	00
5½ to 6-in, cal., 22 to 25 ft, high, B&B	125	00
6 to 61%-in, cal., 25 to 30 ft., high, B&B,	150	00
6½ to 7-in. cal., 25 to 35 ft. high, B&B	ind	11n
II. americana. Moline Tube Elm.		
5 to 5½-in, cal., 22 to 25 ft, high, B&B	100	00
5½ to 6-in, cal., 22 to 25 ft, high, B&B	125	00
6 to 6½-in. cal., 25 to 30 ft. high, B&B	75	00
7 to $7\frac{1}{2}$ -in. cal., 25 to 35 ft. high, B&B\$200 ar	nd	
		_

GUARANTEE

We guarantee to replace, at one-half original purchase price, any plant or tree which we have supplied, which dies from natural causes within a period of one year (except those items marked with a star), provided the plants have been properly cared for, and provided payment has been received in 30 days or as arranged. The cost of delivering and planting of replaced material is borne by the purchaser and replacement is made at our convenience.

Flowering Trees

riowering trees	
ÆSCULUS hippocastanum. White Horse-Chestnut.	Each
8 to 9 ft	.\$10 00
1 to 1½-in. cal., 5 to 9 ft. high	10 00
3½ to 4-in. cal., 12 to 14 ft. high	40 00
CERCIS canadensis. Red-bud; Judas Tree. 5 to 6 ft., F&B	15.00
6 to 8 ft., B&B	20 00
8 to 10 ft., B&B	25 00
CHIONANTHUS virginica. White Fringe.	4 00
3 to 4 ft., B&B	. 6 00
5 to 6 ft., specimen, B&B	
CORNUS florida. White-flowering Dogwood.	
Regular grade. Stem type. Special Offer. 4 to 5 ft., B.R\$2 50 6 to 8 ft., B.R	5 00
4 to 5 ft., B&B 4 00 6 to 8 ft., B&B	7 50
5 to 6 ft., B.R 3 50 8 to 10 ft., B&B 5 to 6 ft., B&B 5 00 10 to 12 ft., B&B	10 00
Specimen grade. Stem type.	
2½ to 3-in. cal., 10 to 12 ft. high, B&B	
3½ to 4-in. cal., 14 to 16 ft. high, B&B	. 35 00
4 to $4\frac{1}{2}$ -in. cal., 16 to 18 ft. high, B&B	
4 to 4½-in. cal., 12 to 14 ft. high, B&B	. 50 00
4½ to 5-in. cal., 12 to 16 ft. high, B&B	. 65 00 85 00
$5\frac{1}{2}$ to 6-in. cal., 16 to 20 ft. high, B&B	.100 00
Larger sizes on application. Specimen grade. Extra-heavy. Bush type. Spread 6 to	12 ft.
12 to 14 ft., specimen, B&B	. 50 00
14 to 16 ft., specimen, B&B	
Larger sizes on application.	. 00 00
C. florida rubra. Red-flowering Dogwood. Regular grade.	
3 to 4 ft., B&B	
4 to 5 ft., B&B	
6 to 8 ft., B&B	
Specimen grade. 10 to 12 ft., B&B	. 30 00
12 to 14 ft., B&B	. 35 00
14 to 16 ft., B&B	. 45 00
12 to 14 ft., B&B	50 00
14 to 16 ft., B&B	. 75.00
6 to 8 ft., specimen, B&B	. 10, 00
8 to 10 ft., specimen, B&B	$\begin{array}{cccc} . & 15 & 00 \\ 20 & 00 \end{array}$
CRATÆGUS arnoldiana. Arnold's Hawthorn. White.	
8 to 10 ft., specimen, B&B	25 00
8 to 10 ft., specimen, B&B	25 00
C. cordata. Washington Hawthorn. White.	. 5 00
5 to 6 ft	7 50
8 to 10 ft., specimen, B&B. 10 to 12 ft., specimen, B&B.	15 00
C. crus-galli. Cockspur Thorn. White.	,
4 to 5 ft	5 00
8 to 10 ft., specimen, B&B	
6 to 8 ft., specimen	10 00
8 to 10 ft., specimen	15 00
C. monogyna rosea. Paul's Double Pink Hawthorn. 6 to 8 ft., specimen	10 00
8 to 10 ft., specimen	15 00
GORDONIA alatamaha. Gordonia.	
3 to 4 ft., B&B	7 50
3 to 4 ft., B&B	4 00
4 to 5 ft., B&B	5 00
5 to 6 ft., B&B LABURNUM vulgare. Golden Chain.	7 50
8 to 10 ft., specimen, B&B	15 00
10 to 12 ft., specimen, B&B	20 00
6 to 8 ft	8 00
8 to 10 ft	10 00

MAGNOLIA glauca. Sweetbay. Creamy white.	ach
4 to 5 ft., B&B	
M. soulangeana. Saucer Magnolia. Pink. 2 to 3 ft., B&B	00
3 to 4 ft., B&B	
8 to 9 ft., P&B35	00
9 to 10 ft. B&B	00
M. stellata. Star Magnolia. Pure white. 2 to 3 ft., B&B	00
3 to 4 ft., B&B	00
3717770	
MALUS arnoldiana. Arnold's Crab-Apple. Semi-double; deep pink.	
4 to 6 ft	00
6 to 8 ft	
M. atropurpurea. Purple Crab-Apple. Single; rosy pink.	50
6 to 8 ft	
Larger sizes on application.	
M. atrosanguinea. Carmine Crab-Apple. Single; dark pink.	00
4 to 6 ft	00
6 to 8 ft	50
8 to 10 ft	00
Larger sizes on application. M. floribunda. Crab-Apple. Light pink.	
	00
4 to 6 ft	
	00
6 to 8 ft	
M. robusta. Upright Cherry Crab-Apple. Creamy white.	
6 to 8 ft	
8 to 10 ft	UU
M. sargenti. Sargent's Crab-Apple. Pure white.	
	50
4 to 5 ft	
6 to 8 ft	
8 to 10 ft	00
M. spectabilis. Chinese Crab-Apple. Double; pink. 6 to 8 ft	50
8 to 10 ft	
Larger sizes on application.	
M. theifera. Tea Crab-Apple. White or tinted with pale pink.	
6 to 8 ft	
8 to 10 ft	00
OXYDENDRUM arboreum. Sorrel Tree.	
4 to 5 ft	00
5 to 6 ft 7	50
6 to 8 ft	00
PRUNUS, Beni Hagen. Pink Single-flowering Cherry.	
4 to 5 ft., B&B 5	
5 to 6 ft., B&B 7	
P., Hisakura. Pink Double-flowering Cherry. 8 to 10 ft., specimen, B&B	00
10 to 12 ft., specimen, B&B	50
12 to 14 ft., specimen, B&B	00
P., Hisakura alba. White Semi-double-flowering Cherry.	00
8 to 10 ft., specimen, B&B	
12 to 14 ft., specimen, B&B	00
P., Kwanzan. Large Pink Double-flowering Cherry.	00
8 to 10 ft., specimen, B&B	00
6-ft. stem, 2-yr. head	00
6-ft. stem. 3-yr. head	00
6-ft. stem, heavy specimen, B&B\$100 and P. cerasifera blireana. Purple-leaved Double Plum.	up
6 to 8 ft	00
8 to 10 ft	00
STEWARTIA proudo comollio Stewartia White	
STEWARTIA pseudo-camellia. Stewartia. White. 8 to 10 ft., B&B	00
10 to 12 ft., B&B	00
STYRAX japonica. Snowbell. 5 to 6 ft., specimen, B&B	00
6 to 8 ft., specimen, B&B	00
8 to 10 ft., specimen, B&B	00
10 to 12 ft., specimen, B&B	00

Evergreens

ALL EVERGREENS BALLED & BURLAPPED

ABIES concolor. White Fir. 10 to 12 ft., specimen. 12 to 14 ft., specimen. A. homolepis (brachyphylla). Nikko Fir.	Each \$40 00 50 00
6 to 8 ft. 8 to 10 ft. 10 to 12 ft.	15 00
CEDRUS atlantica glauca. Blue Atlas Cedar. 10 to 12 ft., specimen	. 25 00
CHAMAECYPARIS (Retinospora) pisifera plumosa Plume Cypress.	
1 to 1½ ft 1½ to 2 ft 2 to 3 ft	2 50
3 to 4 ft	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
2 to 3 ft	4 00
C. pisifera squarrosa. Moss Cypress. $1 \text{ to } 1\frac{1}{2} \text{ ft.}$	
JUNIPERUS chinensis columnaris. Columnar Juniper.	10.00
6 to 8 ft	15 00
12 to 14 ft., specimen	
15 to 18 -in. spread. $1\frac{1}{2}$ to 2 -ft. spread. \ldots	$\begin{array}{cccc} 2 & 50 \\ 3 & 00 \end{array}$
2 to $2\frac{1}{2}$ -ft. spread. $2\frac{1}{2}$ to 3 -ft. spread. \ldots	4 00 5 00
3 to 3½-ft. spread	7 50
J. chinensis prostrata. Prostrate Juniper. 15 to 18-in. spread	3 50 4 50
J. chinensis sargenti. Sargent Juniper. 15 to 18-in. spread	3 50
1½ to 2-ft. spread	4 50
2 to $2\frac{1}{2}$ -ft. spread	3 00
3 to $3\frac{1}{2}$ -ft. spread	3 50 4 00
1 to 1½-ft. spread	3 50
$1\frac{1}{2}$ to 2 ft	3 50
2 to $2\frac{1}{2}$ ft J. virginiana keteleeri. Keteleer Cedar. 2 to 3 ft	5 00 3 50
3 to 4 ft	5 00
10 to 12 ft., specimen	25 00 35 00
PICEA omorika. Serbian Spruce.	
5 to 6 ft	12 50
8 to 10 ft	$\frac{15}{20} \frac{00}{00}$
P. pungens kosteri. Koster Blue Spruce. 3 to 4 ft	10 00
4 to 5 ft	12 50
9 to 10 ft., heavy specimen	60 00
PINUS montana mughus. Mugho Pine. 15 to 18 in	3 50
18 to 24 in P. strobus. White Pine.	5 00
3 to 4 ft	5 00
4 to 5 ft	
6 to 7 ft	12 50
7 to 8 ft	.20 00
20 to 30 ft., heavy specimen Larger sizes on application.	150 00
PSEUDOTSUGA douglasi. Douglas Fir.	
6 to 8 ft 20 to 25 ft., heavy specimen	15 00
25 to 30 ft., heavy specimen	125 00
30 to 35 ft., heavy specimen	150 00

TAXUS baccata repandens. English Spreading Yew.	Each
1½ to 2 ft	
T. cuspidata. Spreading Yew.	
15 to 18 in	4 50
$\frac{11}{2}$ to 2 ft	6 00
2 to 2½ ft	7 50
3 to 3½ ft	
5 to 6 ft., 3 to 4 ft. high, heavy specimen	30 00
6 to 7 ft., 3 to 4½ ft. high, heavy specimen	40 00
7 to 8 ft., 3 to $4\frac{1}{2}$ ft. high, heavy specimen	50 00
T. cuspidata capitata. Pyramidal Yew.	0.00
2 to 3 ft	$\frac{6}{7} \frac{00}{50}$
4 to 5 ft	10 00
5 to 6 ft	
8 to 9 ft. high, 4 to 5 ft. wide, specimen	40 00
9 to 10 ft. high, 4 to 6 ft. wide, specimen	45 00
10 to 11 ft. high, 4 to 7 ft. wide, specimen	50 00
11 to 12 ft. high, 4 to 7 ft. wide, heavy specimen	85 00
12 to 13 ft. high, 5 to 7 ft. wide, heavy specimen	110 00
Larger sizes on application.	
T. cuspidata intermedia. Hybrid Yew.	
15 to 18 in	5 00
1½ to 2 ft	6 50
T. cuspidata nana (brevifolia). Dwarf Yew.	
8 to 12 in. high	3 50
12 to 15 in. high	4 50
T. media browni.	
12 to 15 in	4 00
15 to 18 in	5 50
T. media hatfieldi.	0 =0
10 to 12 in	
2 to 2½ ft	12 50
T. media hicksi.	4 00
15 to 18 in	$\frac{4}{5} \frac{00}{00}$
$\frac{1\frac{1}{2}}{2}$ to 2 ft	$\begin{array}{ccc} 5 & 00 \\ 6 & 50 \end{array}$
$2\frac{1}{2}$ to 3 ft	7 50
$3 \text{ to } 3\frac{1}{2} \text{ ft.}$	9 00
3½ to 4 ft	10 00
7 to 8 ft., specimen	40 00
8 to 10 ft., specimen	
THUJA occidentalis. American Arborvitæ.	
3 to 4 ft	4 50
4 to 5 ft	6 50
5 to 6 ft	9 00
6 to 8 ft	$\frac{12}{20}$ $\frac{50}{20}$
12 to 14 ft., heavy specimen	$\begin{array}{ccc} 20 & 00 \\ 25 & 00 \end{array}$
T. occidentalis globosa. Globe Arborvitæ.	25 00
12 to 15 in	2 00
15 to 18 in	$\frac{2}{2} \cdot 50$
1½ to 2 ft	3 00
T. occidentalis, Little Gem. Little Gem Arborvitæ.	0 00
12 to 15 in	3 00
15 to 18 in	4 00
$1\frac{1}{2}$ to 2 ft	6 00
T. occidentalis pyramidalis. Pyramidal Arborvitæ.	
2 to 3 ft	3 50
3 to 4 ft	5 00
4 to 5 ft	7 50
5 to 6 ft	10 00
T. occidentalis rosenthali. Rosenthal Arborvitæ.	10 50
8 to 9 ft., specimen	12 50
9 to 10 ft., specimen	15 00
TSUGA canadensis. Canadian Hemlock.	
15 to 18 in	3 00
1½ to 2 ft	3 50
2 ft	5 00
3 ft	6 50
4 ft	8 00
5 ft	12 50
7 to 8 ft	15 00
7 to 8 ft., heavy	17 50
12 to 14 ft., heavy specimen	40 00
14 to 16 ft., heavy specimen	55 00
16 to 18 ft., heavy specimen	65 00
Larger sizes on application.	
T. caroliniana. Carolina Hemlock.	
3 to 4 ft	16 00
4 to 5 ft	22 00

Hardy Evergreen Shrubs ALL BALLED AND BURLAPPED

4 yr\$	Each B 00
BERBERIS julianæ. Wintergreen Barberry. 2 to 3 ft	3 00
5 to 6 in., B.R	ach 00
COTONEASTER dielsiana. Diel's Cotoneaster. 2 to 2½ ft	00
C. divaricata. Upright Spreading Cotoneaster. 1½ to 2 ft	
C. franchetti. Franchet Cotoneaster. 1½ to 2 ft	50
C. horizontalis. Rock Cotoneaster. 10 to 12 in	75
12 to 15 in	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	
=/2 =	00
3 to 4 ft	
15 to 18 in	00
I. glabra. Inkberry. 12 to 15 in\$2 50 1½ to 2 ft	50
*I. opaca. American Holly. 2 to 3 ft	50
5 to 6 ft	50 00 00
6 to 7 ft., heavy specimen	00
*Ilex crenata bullata and Ilex opaca guaranteed for first growing seasonly.	son
KALMIA latifolia. Mountain Laurel.	00
15 to 18 in	50
LEUCOTHOE catesbæi. Drooping Leucothoe.	
1½ to 2 ft	50 50
	00
1½ to 2-ft. spread 4 P. japonica. Andromeda.	00
1½ to 2 ft 5	00
RHODODENDRON carolinianum. Pink Carolina Rhodo- dendron.	
1½ to 2 ft	00
K. Catawbiense. Catawba Knoaodendron. Rosy nurnia	00
2½ to 3 ft	00
$2 \text{ to } 2\frac{1}{2} \text{ ft.}$ 6 $2\frac{1}{2} \text{ to } 3 \text{ ft.}$ 7 R. maximum. Rosebay Rhododendron. Pale pink. Each	00 00
$2 \text{ to } 2\frac{1}{2} \text{ ft.}$ 6 $2\frac{1}{2} \text{ to } 3 \text{ ft.}$ 7 R. maximum. Rosebay Rhododendron. Pale pink.	00 00 00 50 00
2 to 2½ ft. 6 2½ to 3 ft. 7 R. maximum. Rosebay Rhododendron. Pale pink. Each 1½ to 2 ft. \$5 00 3½ to 4 ft. 9 2 to 2½ ft. 6 00 4 to 5 ft. 12 2½ to 3 ft. 7 00 5 to 6 ft. 18 3 to 3½ ft. 8 00 6 to 7 ft. 25 AZALEA arborescens. Sweet Azalea. White or blush-pink. A. calendulacea. Flame Azalea. A vasevi Shell pink	00 00 00 50 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	00 00 00 50 00 00
2 to 2½ ft. 6 2½ to 3 ft. 7 R. maximum. Rosebay Rhododendron. Pale pink. Each 1½ to 2 ft. \$5 00 3½ to 4 ft. 9 2 to 2½ ft. 6 00 4 to 5 ft. 12 2½ to 3 ft. 7 00 5 to 6 ft. 18 3 to 3½ ft. 8 00 6 to 7 ft. 25 AZALEA arborescens. Sweet Azalea. A. calendulacea. Flame Azalea. A. vaseyi. Shell-pink. A. vodogawa. Lavendo	00 00 00 50 00 00 er.



Philadelphus, Virginal

Flowering Shrubs

ABELIA grandiflora. Glossy Abelia.	Ea . \$3	
AMELANCHIER canadensis. Downy Shadbush. 2 to 3 ft		
ARONIA arbutifolia. Red Chokeberry. 2 to 3 ft	. 1	00
A. melanocarpa. Black Chokeberry. 2 to 3 ft	. 1	
BENZOIN æstivale (Lindera Benzoin). Spice Bush. 3 to 4 ft., specimen		00 50
BERBERIS thunbergi. Barberry. 1½ to 2 ft\$40 per 100. B. thunbergi atropurpurea. Redleaf Barberry. 1½ to 2 ft	. 1	50 50
BUDDLEIA, Charming. New Pink Butterfly Bush.		00
B., Ile de France. Hybrid Butterfly Bush. Rosy purple. 3-yr.	_	00
CALLICARPA purpurea. Chinese Beauty Berry. 2 to 3 ft		00 25
CALYCANTHUS floridus. Sweet Shrub.	. 1	25
CARAGANA arborescens. Pea Tree. 3 to 4 ft	. 1	25
CEPHALANTHUS occidentalis. Button-bush. 2 to 3 ft		75 00
CLETHRA alnifolia. Sweet Pepperbush. 2 to 3 ft		

CORNUS alba sibirica. Coral Dogwood.	F	Each
C. amomum. Silky Dogwood. 2 to 3 ft		
C. paniculata. Gray Dogwood. 2 to 3 ft		1 00
3 to 4 ft		1 25 $1 00$
CYDONIA japonica. Red-flowering Quince.		
1½ to 2 ft. C. japonica corallina. Pink. 1½ to 2 ft.	. 2	2 00
$2 \text{ to } 2\frac{1}{2} \text{ ft.}$ C. japonica nivalis. White. $1\frac{1}{2} \text{ to } 2 \text{ ft.}$ $2 \text{ to } 2\frac{1}{2} \text{ ft.}$. 2	2 00
DEUTZIA gracilis. Slender Deutzia. White.		
15 to 18 in D. gracilis rosea. Pink Slender Deutzia.		
1½ to 2 ft D. lemoinei. Lemoine Deutzia. White.		
D. scabra, Pride of Rochester. White to pale pink.	1	25
4 to 5 ft., specimen, B&B D. scabra crenata. Double-flowering Pink Deutzia.		00
3 to 4 ft		00
ENKIANTHUS campanulatus. Redvein Enkianthus. 2 to 3 ft., B&B		50
3 to 4 ft., B&B		00
EUONYMUS alatus. Winged or Corky-barked Euonymus. 3 to 4 ft	3	50
3 to 4 ft	5 7	00 50
E. alatus compactus. Dwarf Winged Euonymus. 2 to 3 ft	2 3	00 50
FORSYTHIA spectabilis. Showy Border Forsythia. 3 to 4 ft	1	00
5 to 6 ft. F. suspensa. Weeping Golden Bell. 3 to 4 ft.	2	
4 to 5 ft		50
	$\frac{1}{2}$	00
HALESIA tetraptera. Silverbell. 5 to 6 ft., B&B	7	50 00
7 to 8 ft., B&B	2	50
HAMAMELIS virginiana. Witch-Hazel. Lemon-color. 3 to 4 ft., specimen, B&B		
4 to 5 ft., specimen, B&B	3	50
	3	00
2 to 3 ft	1	50
	$\frac{1}{2}$	
H. syriacus anemonæ florus. Double; pink. 2 to 3 ft	1 2	50 50
H. syriacus, Jeanne d'Arc. Double; white. 3 to 4 ft		
H. syriacus, Lady Stanley. Double; blush-pink. 3 to 4 ft		
HYDRANGEA arborescens. Hills of Snow. 3 to 4 ft	1 (
HYPERICUM aureum. Golden St. Johnswort.		
3 to 3½ ft	2 (00

ILEX verticillata. Black Alder; Winterberry. 2 to 3 ft	\$ 1 2	00
KOLKWITZIA amabilis. Beauty Bush.	9	00
3 to 4 ft		00
3 to 4 ft., specimen, B&B	3	00
3 to 4 ft\$25 per 100 LONICERA heckrotti. Everblooming Honeysuckle. Purplish rose.		35
3-yr. L. maacki. Amur Honeysuckle. White. 4 to 5 ft		
5 to 6 ft L. morrowi. Morrow's Bush Honeysuckle. White.	.3	
3 to 4 ft	3	00
3 to 4 ft	2	50
LYCIUM barbatum. Matrimony Vine. 2 to 3 ft	1	00
PHILADELPHUS coronarius. Sweet Mock Orange. White.		25
4 to 5 ft., specimen, B&B. P. grandiflorus. Big Mock Orange. White. 3 to 4 ft 5 to 6 ft., specimen, B&B.	1	
6 to 8 ft., specimen, B&B	5	00
3 to 4 ft., specimen, B&B	2	50 00
3 to 4 ft., B&B. 4 to 5 ft., B&B. 5 to 6 ft., B&B. 6 to 8 ft., B&B.	4 5	
RHODOTYPOS kerrioides. Jetbead. 3 to 4 ft	1	00
ROSA hugonis. Father Hugo's Rose. Shrub Rose. 1½ to 2 ft	1	50
ing Spirea. 15 to 18 in	1	50
S. prunifolia. True Bridal Wreath. White. 3 to 4 ft	1	50 00
S. thunbergi. Thunberg's Spirea. White.		50
2 to 3 ft., specimen, B&B		50 50
4 to 5 ft STEPHANANDRA flexuosa. Cutleaf Stephanandra.	2	00
2 to 3 ft		25
2 to 3 ft	_	00
S. vulgaris. Coralberry. 2 to 3 ft		
SYMPLOCOS paniculata. Asiatic Sweetleaf. 3 to 4 ft., B&B	4	00
SYRINGA. Lilacs. See page 12. VIBURNUM americanum. American Cranberry.		
3 to 4 ft	1 4 5	00
8 to 10 ft., specimen, B&B		
2 to 3 ft., B&B	7	50

Viburnum carlesi. Fragrant Viburnum. Pink.		Each	
12 to 15 in., B&B	\$	3 50)
15 to 18 in., B&B			
1½ to 2 ft., B&B V. cassinoides. Withe-Rod. Creamy white.	• •	6 00	,
3 to 4 ft., specimen, B&B		2 50)
V. dentatum. Arrow-wood.	• •	_ 00	1
3 to 4 ft		1 25	5
4 to 5 ft., specimen, B&B		3 00	
5 to 6 ft., specimen, B&B		4 00	
6 to 8 ft., specimen, B&B	• •	5 00)
V. dilatatum. Linden Viburnum. White.		0 70	
2 to 3 ft., specimen, B&B		$egin{smallmatrix} 2 & 50 \ 3 & 00 \end{smallmatrix}$	
3 to 4 ft., specimen, B&B		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
V. lentago. Nannyberry. White.	• •	x 00	
4 to 5 ft., specimen, B&B	5	3 00	ı
5 to 6 ft., specimen, B&B		$\frac{1}{4} 00$	
6 to 8 ft., specimen, B&B		5 00	
V. molle. Kentucky Viburnum.			
4 to 5 ft., specimen, B&B		3 00	
5 to 6 ft., specimen, B&B		1 00	
6 to 8 ft., specimen, B&B		5 00	
V. opulus. Highbush Cranberry.	4		
3 to 4 ft	 /	l 00 1 00	
6 to 8 ft., specimen, B&B	Ī	5 00	
V. prunifolium. Black Haw. White.		, 00	
2 to 3 ft., specimen, B&B	. 2	2 50	
3 to 4 ft., specimen, B&B		3 00	
4 to 5 ft., specimen, B&B	. 4	F 00	
V. sieboldi. Siebold Viburnum. Creamy white.			
3 to 4 ft., specimen, B&B		3 00	
4 to 5 ft., specimen, B&B		5 50 1 00	
5 to 6 ft., specimen, B&B V. theiferum. Tea Viburnum.	. 4	: 00	
3 to 4 ft., B&B	9	2.50	
4 to 5 ft., B&B	. 3	50	
V. tomentosum. Single Snowball.			
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots$. 1	. 00	
3 to 4 ft., specimen, B&B	. 2	50	
5 to 6 ft., specimen, B&B	. 4	00	
6 to 8 ft., specimen, B&B	. 5	00	
V. tomentosum plicatum. Double Snowball. 4 to 5 ft., specimen, B&B	9	00	
5 to 6 ft., specimen, B&B	. o	00	
6 to 8 ft., specimen, B&B	. 5	00	
WEIGELA candida. White Weigela. 4 to 5 ft., specimen, B&B	2	50	
5 to 6 ft., specimen, B&B	. ວ 5	00	
W., Eva Rathke. Red-flowering Weigela.	. 0		
2 to 3 ft	. 1	50	
3 to 4 ft		00	
W. floribunda. Crimson Weigela.			
3 to 4 ft		50	
4 to 5 ft	. 2	25	
5 to 6 ft., specimen, B&B	. 5	00	
W. rosea. Pink and White Weigela. 2 to 3 ft	1	50	
3 to 4 ft		$\begin{array}{c} 50 \\ 00 \end{array}$	
W. vanhouttei. Vanhoutte Weigela. Red.	. 4	00	
2 to 3 ft	2	00	
	_		
0117 11 174			
Old-Fashioned Lilacs			
SYRINGA japonica. Tree Lilac. Single. Creamy white.			
3 to 4 ft	1	50	
S. josikæa. Hungarian Lilac. Single. Violet.	. 1	30	
3 to 4 ft	. 1	50	
S. persica. Persian Lilac. Immense spikes; lavender-pink.		33	
2 to 3 ft., B&B	. 2	00	
3 to 4 ft., B&B	. 2	50	
S. villosa. Late Lilac. Single. Lavender-pink.			
4 to 6 ft., specimen, B&B	. 5	00	
S. vulgaris. Common Purple Lilac. Single. Purple.			
2 to 3 ft		00	
3 to 4 ft	. 3	00	
5 to 6 ft., heavy specimen, B&B	10	50 00	
6 to 7 ft., heavy specimen, B&B	12	00	
7 to 8 ft., heavy specimen, B&B	$.1\overline{5}$	00	



Hybrid Lilacs

Charles X. Single. Reddish purple.	Ea	\mathbf{ch}
2 to 3 ft., B&B	. \$4	00
3 to 4 ft., B&B	. 5	00
Congo. Single. Dark red.		
2 to 3 ft., B&B	. 4	00
3 to 4 ft., B&B	. 5	00
Diderot. Single. Claret-violet.		00
2 to 3 ft., B&B.	. 5	00
Hugo Koster. Single. Lilac with reddish tinge.	0	00
1½ to 2 ft., B&B	. 3	00
2 to 3 ft., B&B	. 4	UU
Jan Van Tol. Single. Large; pure white.	4	00
3 to 4 ft., B&B	. 4	00
6 to 7 ft., heavy specimen, B&B.	19	50
7 to 8 ft., heavy specimen, B&B		
8 to 9 ft., heavy specimen, B&B	20	00
Toon Mass Dauble Dheish masses		
2 to 3 ft., B&B	4	00
3 to 4 ft., B&B.	5	00
Katharine Havemeyer. Double. Cobalt-blue.		
3 to 4 ft., B&B	. 5	00
4 to 5 ft., B&B		
Ludwig Spæth. Single. Dark red.		
2 to 3 ft., B&B	. 5	00
3 to 4 ft., B&B	. 6	00
Marie Legraye. Single. White.		
1½ to 2 ft., B&B	. 3	00
6 to 7 ft., heavy specimen, B&B	.12	50
7 to 8 ft., heavy specimen, B&B	. 15	00
Michel Buchner. Double. Blue.		
2 to 3 ft., B&B	. 4	00
8 to 9 ft., heavy specimen, B&B		
9 to 10 ft., heavy specimen, B&B	. 25	00
Mme. Casimir Perier. Double. White.	0	00
2 to 3 ft., B&B		
3 to 4 ft., B&B		
4 to 5 ft., specimen, B&B	10	00
6 to 7 ft., heavy specimen, B&B.	19	50
7 to 8 ft., heavy specimen, B&B		
Mme. F. Morel. Single. Deep pink.	. 10	00
4 to 5 ft., B&B	6	00
5 to 6 ft., B&B	7	50
0 to 0 1tt, D&D,		

HYBRID LILACS, continued	
Mme. Lemoine. Double. Large white.	ach
2 to 3 ft., B&B	00
4 to 5 ft., specimen, B&B	00
6 to 7 ft., heavy specimen, B&B	50
7 to 8 ft., heavy specimen, B&B	
9 to 10 ft., heavy specimen, B&B	00
President Grevy. Double. Blue. 3 to 4 ft., B&B	
4 to 5 ft., B&B	50
7 to 8 ft., heavy specimen, B&B	00
President Lincoln. Single. Bluish violet. 2 to 3 ft., B&B	00
President Poincare. Double. Clear red-purple. 4 to 5 ft., B&B	00
5 to 6 ft., B&B 7	
= 00 0 100, BaB	00
3 to 4 ft., B&B	00
4 to 5 ft	00
5 to 6 ft	90
= 00 0 Itil Darbitti itiliti i	00
5 to 4 to, Beb	
Handa Vinas	
Hardy Vines	
AMPELOPSIS heterophylla. Porcelain Vine.	00
3-yr., field-grown	00
A. tricuspidata veitchi. Boston Ivu.	
2-yr., field-grown	00
BIGNONIA, Mme. Galen. Hybrid Trumpet Creeper. 2-yr., field-grown	50
CELASTRUS scandens. Bittersweet. 3-yr., field-grown	00
CLEMATIS paniculata. Small White-flowered Clematis. 3-yr., field-grown	00
EUONYMUS radicans. Winter Creeper.	00
2-yr., field-grown	
2-yr., field-grown	50
*HEDERA baltica. Hardy English Ivy.	00
3-yr., pot-grown	25
*H. helix. English Ivy. 3-yr., pot-grown	
*Hedera helix and Hedera baltica guaranteed for first growing sea only.	son
HYDRANGEA petiolaris. Climbing Hydrangea. 4-yr., potted plants	00
LONICERA japonica halliana. Hall's Honeysuckle. 2-yr., field-grown\$40 per 100	60
PACHYSANDRA terminalis. Spurge. 2 1/4-in. pots (4 per square ft.) \$25 per 100	40
POLYGONUM auberti. Silver Lace Vine. 2-yr., field-grown	00
VINCA minor. Myrtle; Periwinkle. 2 1/4-in. pots (4 per square ft.) \$25 per 100.	
WISTERIA sinensis. Blue Wisteria.	
3-yr., field-grown, B.R	50
W. sinensis. Blue Tree or Standard Wisteria.	
4-ft. stems in tubs	
3-yr., field-grown, B.R	50
W. sinensis flore-pleno. Double Blue Wisteria.	50
3 to 5 ft. high x 8 to 12-ft. spread. Specimen, Bushtype plants\$15 to 25	00

Fruit Department

Apples, Standard

11-in. caliper, \$3.00 each

SUMMER VARIETIES

Red Astrachan. Flesh, tinged with red. Yellow Transparent. Pale yellow.

AUTUMN VARIETIES

Cortland. Dark red. Gravenstein. Striped red. High flavor. McIntosh Red. Delicious; juicy.

WINTER VARIETIES

Dolga Crimson fruit

Baldwin. Large; dark red. Delicious. Red; juicy.

Northern Spy. Large; striped red. Rhode Island Greening. Large; greenish yellow. Stayman's Winesap. Medium to large; dark red.

Yellow Delicious. Large; yellow.

NOTE—We have a limited quantity and variety of	Apple
Trees in the following sizes and prices:	Each
2 to 2½-in. cal., 8 to 10 ft. high\$	15 00
$2\frac{1}{2}$ to 3-in. cal., 8 to 10 ft. high	
3 to $3\frac{1}{2}$ -in. cal., 10 to 12 ft. high	
$3\frac{1}{2}$ to 4-in. cal., 10 to 12 ft. high	35 00

Crab-Apples

Doiga. Crimson fruit. September.	
$\frac{11}{16}$ -in. cal	50
2 to 2½-in. cal., 8 to 10 ft. high	00
21/4-9 in all 04-10 ft high	00
2½ to 3-in. cal., 8 to 10 ft. high	00
Hyslop. Crimson fruit. October.	
11-in. cal 2	50
1 to 11/4-in. cal., 5 to 6 ft. high	50
0 to 21/ in soil 0 to 10 ft kinh	00
2 to 2½-in. cal., 8 to 10 ft. high	00
2½ to 3-in. cal., 8 to 10 ft. high	00
3 to 3½-in. cal., 10 to 12 ft. high	00
Transcendent. Yellow and red. September.	
11-in. cal 2	50
1 to 1¼-in. cal., 5 to 6 ft. high	50
2 to $2\frac{1}{2}$ -in. cal., 8 to 10 ft. high	
01/1-9 in all 0 to 10 ft high	00
2½ to 3-in. cal., 8 to 10 ft. high20	
3 to 3½-in. cal., 10 to 12 ft. high	00

*Apricot

11-in. cal., \$3.50

Early Golden.

*Peaches

9 in. caliper, \$2.00 each

Belle of Georgia. White. Early September. Carman. White. August. Crawford's Late. Yellow. September. Early Elberta. Yellow. August. Elberta. Yellow. September. J. H. Hale. Yellow. September.

Pears, Standard

Bartlett. Yellow and red fruit.	-	Each
7 to 9 in		\$2 50
11 in		3 50


*Plums

 $\frac{11}{16}$ in. caliper, \$3.00 each

Abundance. Yellow. August. Burbank. Red. August. Bradshaw. Purple. September. Lombard. Purple. August.

German Prune. Blue. September.

^{*}Peaches, Plums and Apricots guaranteed for first growing season only.



Hybrid Blueberries

Grapes

3-yr., 75 cts. each

Brighton. Large; red. September. Concord. Best black. September. Delaware. Small; red. September. Niagara. Fine white. Late September. Worden. Large; blue. Late August.

Raspberries

2-yr. transplants, 25 cts. each, \$2.75 per doz.

Cumberland. Blackcap.

Cuthbert. Red. Indian Summer. Everbearing. Red.

Latham. Everbearing. Red.

St. Regis. Red.

Blackberries

2-yr. transplants, 25 cts. each, \$2.75 per doz.

Blowers. Very large. Ripens early.

Boysenberries

2-yr. transplants, 25 cts. each, \$2.75 per doz.

Blueberries, Hybrids

3-yr., $1\frac{1}{2}$ to 2 ft. high, BR, \$2.00 each 3-yr., $1\frac{1}{2}$ to 2 ft. high, B&B, \$2.50 each

Cabot. Early.
Concord. Midseason.
Jersey. Late. Rancocas. Early.

Rubel. Late.
For best results, plant at least three varieties.

THE HOYT NURSERIES

New Canaan, Conn.

Telephone: 9-1633